


PRODUCT SUBMITTAL

Weld-On Anchor Ties



Features & Benefits:

manufactured from 1/4" diameter wire and requires a job site or shop weld for installation.

Front protruding section of this anchor type is adequate in length to provide maximum flexibility for alignment of wire tie to mortar joint.

In most applications, the weld on anchor is welded directly to the structural iron frame components.

MATERIAL CONFORMANCE	SIZES & FINISHES
<p>SHEET METAL – (Carbon Steel) ASTM A1008/A1008M</p> <p>Mill Galvanized / Zinc Coating: ASTM A641 / A641M (0.10 oz per sq ft) Hot Dip Galvanized after fabrication / Zinc Coating ASTM A153 / A153M-B2 (1.50 oz per sq ft)</p> <p>Stainless Steel (WIRE) ASTM A580 / ASTM A580M Stainless Steel (SHEET METAL) ASTM A167 Type 304</p> <p>ASTM A82 / A82M – (Cold drawn steel wire) Tensile Strength – 80,000 psi Yield Point – 70,000 psi</p> <p>ACI / ASCE 530 – (Building code requirements for masonry structures)</p> <p>Recycled Content: Mill Galvanized & Hot Dipped, 82% Post-Consumer, 18% Post Industrial / Pre-Consumer Stainless Steel, 60% Post-Consumer, VOC Content: 0%</p>	<p>Weld-On Tie Wire Diameter:</p> <p><input type="checkbox"/> 1/4" diameter (0.250")</p> <p>Weld-On Tie Finish:</p> <p><input type="checkbox"/> Mill Galvanized <input type="checkbox"/> Hot Dipped <input type="checkbox"/> Stainless Steel</p> <hr/> <p>Triangle (Tri-Tie) Size:</p> <p><input type="checkbox"/> 3" <input type="checkbox"/> 3.5" <input type="checkbox"/> 4" <input type="checkbox"/> 4.5" <input type="checkbox"/> 5" <input type="checkbox"/> 6" <input type="checkbox"/> 7" <input type="checkbox"/> 8" <input type="checkbox"/> 10" <input type="checkbox"/> 12"</p> <p>Triangle (Tri-Tie) Finish:</p> <p><input type="checkbox"/> Mill Galvanized <input type="checkbox"/> Hot Dipped <input type="checkbox"/> Stainless Steel</p> <p>QSW recommends Stainless Steel for maximum anti-corrosion protection.</p>

9802 Widmer Rd, Lenexa, KS 66215



www.QSWP.com

P: 913.888.2929 - FAX: 913.888.4405



MADE IN AMERICA